

DECLARATION OF PERFORMANCE

N. 570-CPR-19-01

1. Unique identification code of the product-type: **GAPER 3.30**
2. Intended uses: **Product for non-structural repair of concrete by PCC mortars (hydraulic mortars modified by the addition of polymer additives)**
3. Manufacturer: **FASSA S.r.l. – Via Lazzaris, 3 – 31027 Spresiano (TV) – ITALY – www.fassabortolo.it**
4. Authorised representative: Not applicable
5. Systems of Assessment and Verification of Constance of Performance (AVCP): **4**
6. Harmonised standard: **EN 1504-3:2006**

Notified bodies: Not applicable

7. Declared performances:

Compressive strength	R2
Chloride Ion content	≤ 0,05 %
Adhesive Bond	≥ 0,8 MPa
Restrained shrinkage / expansion	NPD
Carbonation resistance	NPD
Elastic modulus	NPD

Thermal compatibility	≥ 0,8 MPa
Skid resistance	NPD
Coefficient of thermal expansion	NPD
Capillary Absorption	≤ 0,5 kg x m⁻² x h^{-0,5}
Reaction to fire	A1
Dangerous substances	See MSDS

8. Not applicable

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) n.305/2011, under the sole responsibility of the manufacturer identified above.


Signed for and on behalf of the manufacturer by:

Dott. Samuele Beraldo

Research & Development and Quality Direction – Inorganic Products Manager

Spresiano (TV), 15/01/2019

FASSA S.r.l.
Via Lazzaris n° 3
31027 SPRESIANO (TV)
Tel. +39 0422 7222 Fax +39 0422 887509
P. IVA n° 02015890268



FASSA S.r.l.

GAPER 3.30



Fassa s.r.l.

Via Lazzaris, 3
31027 Spresiano (TV) – Italy
12
570-CPR-19-01

EN 1504-3:2006

GAPER 3.30

Product for non-structural repair of concrete by PCC mortars (hydraulic mortars modified by the addition of polymer additives)

Compressive strength:	R2
Contents of chloride:	≤ 0,05 %
Adhesion:	≥ 0,8 MPa
Restrained shrinkage / expansion	NPD
Carbonation resistance	NPD
Elastic modulus	NPD
Thermal compatibility:	≥ 0,8 MPa
Skid resistance	NPD
Coefficient of thermal expansion	NPD
Capillary absorption:	≤ 0,5 kg x m ⁻² x h ^{-0,5}
Reaction to fire:	A1
Dangerous substances:	See MSDS

FASSA S.r.l.