

DECLARATION OF PERFORMANCE

N. S13-CPR-23-12

1. Unique identification code of the product-type: **GYPSOTECH GYPSOSIMPLY**
2. Intended uses: **Gypsum plasterboard in building construction**
3. Manufacturer: **FASSA S.r.l. – Via Lazzaris, 3 – 31027 Spresiano (TV) – ITALY – www.fassabor-
tolo.com**
4. Authorised representative: Not applicable
5. Systems of Assessment and Verification of Constance of Performance (AVCP): **4**
6. Harmonised standard: **EN 520:2009**

Notified bodies: **NA**

7. Declared performances:

Shear strength - $\uparrow\downarrow$	NPD
Reaction to fire – R2F	A2,s1-d0
Water vapor resistance factor - μ	10
Flexural strength – F	Compliant

Thermal conductivity - λ	0,17 W/mK
Impact resistance - $\rightarrow I$:	See manufacturer's literature
Airborn sound insulation – R	
Acoustic absorption - α	

8. Not applicable

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) n.305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Dott. Samuele Beraldo

Research & Development and Quality Direction – Inorganic Products Manager

Spresiano (TV), 22/12/2023

FASSA S.r.l.
Via Lazzaris n° 3
31027 SPRESIANO (TV)
Partita IVA 015890268



GYPSOTECH GYPSOSIMPLY



Fassa s.r.l.

Via Lazzaris, 3

31027 Spresiano (TV) – Italy

23

S13-CPR-23-12

EN 520:2009

A-12,5

GYPSOTECH GYPSOSIMPLY

Gypsum plasterboard in building construction

Shear strength - $\uparrow\downarrow$	NPD
Reaction to fire – R2F	A2,s1-d0
Water vapor resistance factor - μ :	10
Flexural strength – F	Compliant
Thermal conductivity - λ	0,17 W/m ² K
Impact resistance - $\rightarrow I$:	See
Airborn sound insulation – R	manufacturer's
Acoustic absorption - α	literature