

**DECLARATION OF PERFORMANCE**

**N. FZ13-CPR-16-10**

1. Unique identification code of the product-type: **GYPSOTECH FOCUS ZERO BA13**
2. Intended uses: **Gypsum plasterboard in building construction**
3. Manufacturer: **FASSA S.r.l. – Via Lazzaris, 3 – 31027 Spresiano (TV) – ITALY – www.fassabor-  
tolo.com**
4. Authorised representative: Not applicable
5. Systems of Assessment and Verification of Constance of Performance (AVCP): **3 for the reaction to  
fire, 4 for the other characteristics**
6. Harmonised standard: **EN 520:2009**

Notified bodies: **Istituto Giordano (n.0407)**

7. Declared performances:

Shear strength - $\uparrow\downarrow$	<b>NPD</b>
Reaction to fire – R2F	<b>A1</b>
Water vapor resistance factor - $\mu$	<b>10</b>
Flexural strength – F	<b>Compliant</b>

Thermal conductivity - $\lambda$	<b>0,25 W/mK</b>
Impact resistance - $\rightarrow I$ :	<b>See manufacturer's literature</b>
Airborn sound insulation – R	
Acoustic absorption - $\alpha$	

8. Not applicable

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) n.305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

**Dott. Samuele Beraldo**

Research & Development and Quality Direction – Inorganic Products Manager

Spresiano (TV), 03/10/2016

**FASSA S.r.l.**  
Via Lazzaris n° 3  
31027 SPRESIANO (TV)  
REDAZIONE TEL. 0422 5850268



GYPSOTECH FOCUS ZERO BA13



10

**Fassa s.r.l.**

Via Lazzaris, 3

31027 Spresiano (TV) – Italy

**FZ13-CPR-16-10**

**EN 520:2009**

**DFI-12,5**

**GYPSOTECH FOCUS ZERO BA13**

**Gypsum plasterboard in building construction**

Shear strength - $\uparrow\downarrow$	NPD
Reaction to fire – R2F	A1
Water vapor resistance factor - $\mu$ :	10
Flexural strength – F	Compliant
Thermal conductivity - $\lambda$	0,25 W/m <sup>2</sup> K
Impact resistance - $\rightarrow I$ :	See
Airborn sound insulation – R	manufacturer's
Acoustic absorption - $\alpha$	literature

**DECLARATION OF PERFORMANCE**

**N. FZ15-CPR-16-10**

1. Unique identification code of the product-type: **GYPSOTECH FOCUS ZERO BA15**
2. Intended uses: **Gypsum plasterboard in building construction**
3. Manufacturer: **FASSA S.r.l. – Via Lazzaris, 3 – 31027 Spresiano (TV) – ITALY – www.fassabor-  
tolo.com**
4. Authorised representative: Not applicable
5. Systems of Assessment and Verification of Constance of Performance (AVCP): **3 for the reaction to  
fire, 4 for the other characteristics**
6. Harmonised standard: **EN 520:2009**

Notified bodies: **Istituto Giordano (n.0407)**

7. Declared performances:

Shear strength - $\uparrow\downarrow$	<b>NPD</b>
Reaction to fire – R2F	<b>A1</b>
Water vapor resistance factor - $\mu$	<b>10</b>
Flexural strength – F	<b>Compliant</b>

Thermal conductivity - $\lambda$	<b>0,25 W/mK</b>
Impact resistance - $\rightarrow I$ :	<b>See manufacturer's literature</b>
Airborn sound insulation – R	
Acoustic absorption - $\alpha$	

8. Not applicable

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) n.305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

**Dott. Samuele Beraldo**

Research & Development and Quality Direction – Inorganic Products Manager

Spresiano (TV), 03/10/2016

**FASSA S.r.l.**  
Via Lazzaris n° 3  
31027 SPRESIANO (TV)  
Partita IVA 03015890268



GYPSOTECH FOCUS ZERO BA15



10

**Fassa s.r.l.**

Via Lazzaris, 3

31027 Spresiano (TV) – Italy

**FZ15-CPR-16-10**

**EN 520:2009**

**DFI-15**

**GYPSOTECH FOCUS ZERO BA15**

**Gypsum plasterboard in building construction**

Shear strength - $\uparrow\downarrow$	NPD
Reaction to fire – R2F	A1
Water vapor resistance factor - $\mu$ :	10
Flexural strength – F	Compliant
Thermal conductivity - $\lambda$	0,25 W/m <sup>2</sup> K
Impact resistance - $\rightarrow I$ :	See
Airborn sound insulation – R	manufacturer's
Acoustic absorption - $\alpha$	literature