Safety Data Sheet GYPSOFILLER



Safety Data Sheet dated 08/09/2023 version 3

This Safety Data Sheet is prepared voluntarily: it is not required according to Article 31 of Regulation (EC) No 1907/2006.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: GYPSOFILLER

Trade code: 372

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Filler for plasterboard

1.3. Details of the supplier of the safety data sheet

Company: FASSA Srl

Via Lazzaris, 3 - 31027 Spresiano (TV) - ITALY

Tel. +39 0422 7222 Fax +39 0422 887509

Responsable: laboratorio.spresiano@fassabortolo.it

1.4. Emergency telephone number

NHS 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) n. 1272/2008 (CLP)

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Special Provisions:

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

EUH208 Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one

(3:1). May produce an allergic reaction.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None.

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

< 0.5 %

Mixture identification: GYPSOFILLER

Hazardous components within the meaning of the CLP regulation and related classification:

QtyNameIdent. Numb.ClassificationRegistration Number:≥0.3 -titanium dioxideCAS:13463-67-7 Carc. 2, H35101-2119489379-17-xxxx

EC:236-675-5 Index:022-006-

00-2

Date 08/09/2023 Production Name GYPSOFILLER Page n. 1 of 9

<0.05 %

CAS:2634-33-5 EC:220-120-9 00-6

Acute Tox. 2, H330 Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. Index:613-088- 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410, M:1

> Specific Concentration Limits: $0.05\% \le C < 100\%$: Skin Sens. 1 H317

Acute Toxicity Estimate: ATE - Oral: 500mg/kg bw ATE - Inhalation (Dust/mist):

0.05mg/l

≥0.00015 - reaction mass of 5-chloro-2-CAS:55965-84-9 Acute Tox. 2, H330 Acute Tox. 2, <0.0015 % methyl-2H-isothiazol-3-one and 2- Index:613-167- H310 Acute Tox. 3, H301 Skin methyl-2H-isothiazol-3-one (3:1) 00-5

Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410, M-Chronic:100, M-Acute:100, EUH071

Specific Concentration Limits: $0.6\% \le C < 100\%$: Skin Corr. 1C H314 $0.06\% \le C < 0.6\%$: Skin Irrit. 2 H315 $0.6\% \le C < 100\%$: Eye Dam. 1 H318 $0.06\% \le C < 0.6\%$: Eye Irrit. 2 H319 $0.0015\% \le C < 100\%$: Skin Sens. 1A H317

Acute Toxicity Estimate: ATE - Oral: 100mg/kg bw ATE - Dermal: 50mg/kg bw ATE - Inhalation (Dust/mist): 0.05mg/l

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and label hazardous.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

If you feel unwell, seek medical advice.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Product is not flammable.

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

In the event of fire and/or explosion do not breathe fumes.

5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Date 08/09/2023 **Production Name GYPSOFILLER** Page n. 2 of 9

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Material suitable for collection: inert absorbent material (e.g. sand, vermiculite)

After the product has been recovered, rinse the area and materials involved with water.

Retain contaminated washing water and dispose it.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Advice on general occupational hygiene:

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a cool, well-ventilated place, away from heat.

Keep away from food, drink and feed.

Incompatible materials:

See chapter 10.5

Instructions as regards storage premises:

Adequately ventilated premises.

Protect from frost.

7.3. Specific end use(s)

Recommendation(s)

See chapter 1.2

Industrial sector specific solutions:

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Community Occupational Exposure Limits (OEL)

Community Occupational Exposure Limits (OLL)							
OEL Type	Country	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Notes	
ACGIH		10				A4 - LRT irr	
VLEP	BELGIUM	10.000					
VLEP	FRANCE	10.000					
MAK	GERMANY	0.300		2.400		Respirable fraction, except ultrafine particles , Multiplied by the material density	
AGW	GERMANY	1.250				Respirable dust particles	
NDS	POLAND	10.000				Inhalable fraction	
VLEP	ROMANIA	10.000		15.000			
VLA	SPAIN	10.000				Inhalable fraction	
SUVA	SWITZERLAN D	3.000				Respirable aerosol	
WEL	U.K.	10.000				Inhalable aerosol	
WEL	U.K.	4.000				Respirable aerosol	
GVI	CROATIA	10.000				Inhalable fraction	
	OEL Type ACGIH VLEP VLEP MAK AGW NDS VLEP VLA SUVA WEL WEL	OEL Type ACGIH VLEP BELGIUM VLEP FRANCE MAK GERMANY AGW GERMANY NDS POLAND VLEP ROMANIA VLA SPAIN SUVA SWITZERLAN D WEL U.K.	OEL Type ACGIHCountry mg/m3 10Long Term mg/m3 10VLEPBELGIUM FRANCE GERMANY10.000 0.300MAKGERMANY POLAND1.250 10.000NDSPOLAND VLEP ROMANIA VLA SPAIN 	OEL Type ACGIH Country mg/m3 10 Long Term mg/m3 10 Long Term ppm VLEP BELGIUM FRANCE 10.000 10.000 MAK GERMANY 0.300 AGW NDS GERMANY 1.250 10.000 VLEP ROMANIA 10.000 10.000 VLA SPAIN 10.000 10.000 SUVA SWITZERLAN D 3.000 10.000 WEL U.K. 10.000 4.000	OEL Type ACGIH Country Intermediate and permitation of the permitati	OEL Type ACGIH Country mg/m3 10 Long Term mg/m3 10 Long Term ppm Short Term mg/m3 Short Term ppm VLEP BELGIUM 10.000 Image: Short Term ppm Image: Short Term	

Date 08/09/2023 Production Name GYPSOFILLER Page n. 3 of 9

GVI CROATIA 4.000 Respirable fraction

reaction mass of 5chloro-2-methyl-2Hisothiazol-3-one and 2methyl-2H-isothiazol-3-

one (3:1)

CAS: 55965-84-9

MAK GERMANY 0.200 0.400 Inhalable fraction SUVA SWITZERLAN 0.200 0.400 Inhalable fraction

D

AUSTRIA

0.050

8.2. Exposure controls

Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction.

Eye protection:

Eye glasses with side protection (EN 166).

MAK

Protection for skin:

Use suitable clothing that provides complete protection to the skin according to activity and exposure (EN 14605/EN 13982), e.g. overall, apron, safety shoes, suitable clothing.

Protection for hands:

There is no material or combination of materials for gloves that can guarantee unlimited resistance to any individual chemical or combination of chemicals.

For prolonged or repeated handling, use chemical resistant gloves.

Suitable materials for safety gloves (EN 374/EN 16523); Butyl caoutchouc (butyl rubber): thickness >= 0.4 mm; permeation time >= 480 min.; NBR (Nitril rubber): thickness >= 0.4 mm; permeation time >= 480 min.

The choice of suitable gloves does not only depend on the material, but also on other quality characteristics that vary from one manufacturer to another and on the manner and times according to which the mixture is used.

Respiratory protection:

If workers are exposed to concentrations above the exposure limit they must use appropriate, certified respirators.

Combination filtering device (EN 14387): mask with filter A-P2.

Environmental exposure controls:

See point 6.2

Hygienic and Technical measures

See section 7.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance: thick liquid

Color: white

Odour: Characteristic Odour threshold: N.D.

Melting point / freezing point: N.D.
Initial boiling point and boiling range: N.D.

Flammability: Non-flammable

Upper/lower flammability or explosive limits: N.D. Flash point: > 93°C (Internal assessment)

Auto-ignition temperature: N.D. Decomposition temperature: N.D. pH: >=8.50<=9.50 (Internal method) Kinematic viscosity: >20.5 mm²/s (40 °C)

Relative density: $1.75 \div 1.85 \text{ kg/l}$ (Internal method)

Vapour density: N.D. Vapour pressure: N.D.

Solubility in water: miscible in all ratio Solubility in oil: No data available

Partition coefficient (n-octanol/water): N.A.

Particle characteristics:

Particle size: N.A. **9.2. Other information**

Conductivity: N.D.

Explosive properties: N.A. (Internal assessment) Oxidizing properties: N.A. (Internal assessment)

Evaporation rate: N.A.

Date 08/09/2023 Production Name GYPSOFILLER Page n. 4 of 9

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

None.

10.4. Conditions to avoid

Keep away from heat sources.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

No hazardous decomposition products when stored and handled correctly.

See chapter 5.2

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Toxicological Information of the Preparation

a) acute toxicity Not classified

Based on available data, the classification criteria are not met

Based on available data, the classification criteria are not met

c) serious eye damage/irritation Not classified

Based on available data, the classification criteria are not met

d) respiratory or skin sensitisation Not classified

Based on available data, the classification criteria are not met

e) germ cell mutagenicity Not classified

Based on available data, the classification criteria are not met

f) carcinogenicity Not classified

Based on available data, the classification criteria are not met

g) reproductive toxicity Not classified

Based on available data, the classification criteria are not met

h) STOT-single exposure Not classified

Based on available data, the classification criteria are not met

i) STOT-repeated exposure Not classified

Based on available data, the classification criteria are not met

j) aspiration hazard Not classified

Based on available data, the classification criteria are not met

Toxicological information on main components of the mixture:

titanium dioxide a) acute toxicity LD50 Oral Rat > 5000 mg/kg

LC50 Inhalation Dust Rat > 6.82 mg/l 4h

1,2-benzisothiazol-3(2H)- a) acute toxicity

one

ATE - Oral: 500 mg/kg bw

ATE - Inhalation (Dust/mist): 0.05 mg/l

reaction mass of 5chloro-2-methyl-2H-

chloro-2-methyl-2H-isothiazol-3-one and 2-

a) acute toxicity

ATE - Oral: 100 mg/kg bw

methyl-2H-isothiazol-3one (3:1)

ATE - Dermal: 50 mg/kg bw

ATE - Inhalation (Dust/mist): 0.05 mg/l

11.2. Information on other hazards Endocrine disrupting properties:

Date 08/09/2023 Production Name GYPSOFILLER Page n. 5 of 9

SECTION 12: Ecological information

Adopt good working practices, so that the product is not released into the environment.

12.1. Toxicity

Eco-Toxicological Information:

List of Eco-Toxicological properties of the product

Not classified for environmental hazards.

No data available for the product

List of Eco-Toxicological properties of the components

Component Ident. Numb. **Ecotox Data** titanium dioxide CAS: 13463-67- a) Aquatic acute toxicity: LC50 Fish > 1000 mg/l 96h 7 - EINECS: 236-675-5 -INDEX: 022-006-00-2 a) Aquatic acute toxicity: EC50 Daphnia > 1000 mg/l 48h a) Aquatic acute toxicity: EC50 Algae 61 mg/l 72h 1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5 a) Aquatic acute toxicity: LC50 Fish 11 mg/l 96h - EINECS: 220-120-9 - INDEX: 613-088-00-6 a) Aquatic acute toxicity: EC50 Daphnia 16.4 mg/l 48h a) Aquatic acute toxicity: EC50 Algae 0.6 mg/l 72h b) Aquatic chronic toxicity: NOEC Fish 1.05 mg/l - 28d b) Aquatic chronic toxicity: NOEC Daphnia 6 mg/l - 21d b) Aquatic chronic toxicity: NOEC Algae 0.2 mg/l 72h reaction mass of 5-chloro-2-CAS: 55965-84a) Aquatic acute toxicity: LC50 Fish 0.22 mg/l 96h methyl-2H-isothiazol-3-one and 2- 9 - INDEX: 613methyl-2H-isothiazol-3-one (3:1) 167-00-5 a) Aquatic acute toxicity: EC50 Daphnia 0.1 mg/l 48h a) Aquatic acute toxicity: EC50 Algae 0.0052 mg/l 48h a) Aquatic acute toxicity: EC50 Freshwater algae 0.048 mg/l 72h b) Aquatic chronic toxicity: NOEC Fish 0.098 mg/l - 28d b) Aquatic chronic toxicity: NOEC Daphnia 0.004 mg/l - 21d b) Aquatic chronic toxicity: NOEC Algae 0.00064 mg/l 48h

b) Aquatic chronic toxicity: NOEC Freshwater algae 0.0012 mg/l 72h

12.2. Persistence and degradability

Component Persitence/Degradability:

1,2-benzisothiazol-3(2H)-one

Non-readily biodegradable

reaction mass of 5-chloro-2methyl-2H-isothiazol-3-one and 2methyl-2H-isothiazol-3-one (3:1) Non-readily biodegradable

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT/vPvB in percentage $\geq 0.1\%$.

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration >= 0.1%

12.7. Other adverse effects

N.A.

Date 08/09/2023 Production Name GYPSOFILLER Page n. 6 of 9

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

Do not allow it to enter drains or watercourses.

Dispose of containers contaminated by the product in accordance with local or national legal provisions.

Once the product has expired, it must be disposed of in accordance with current legislation.

SECTION 14: Transport information

Not classified as dangerous in the meaning of transport regulations.

14.1. UN number or ID number

N/A

14.2. UN proper shipping name

ADR-Shipping Name: N/A IATA-Technical name: N/A IMDG-Technical name: N/A

14.3. Transport hazard class(es)

ADR-Class: N/A IATA-Class: N/A IMDG-Class: N/A

14.4. Packing group

ADR-Packing Group: N/A IATA-Packing group: N/A IMDG-Packing group: N/A

14.5. Environmental hazards

Marine pollutant: No

Environmental Pollutant: No

IMDG-EMS: N/A

14.6. Special precautions for user

Road and Rail (ADR-RID):

ADR-Label: N/A

ADR - Hazard identification number: N/A

ADR-Special Provisions: N/A

ADR-Transport category (Tunnel restriction code):

Air (IATA):

IATA-Passenger Aircraft: N/A IATA-Cargo Aircraft: N/A

IATA-Label: N/A

IATA-Subsidiary hazards: N/A

IATA-Erg: N/A

IATA-Special Provisions: N/A

Sea (IMDG):

IMDG-Stowage Code: N/A
IMDG-Stowage Note: N/A
IMDG-Subsidiary hazards: N/A
IMDG-Special Provisions: N/A

14.7. Maritime transport in bulk according to IMO instruments

N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Directive 2010/75/EU

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 2020/878

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

 Date
 08/09/2023
 Production Name
 GYPSOFILLER
 Page n. 7 of 9

Regulation (EU) n. 605/2014 (ATP 6 CLP)
Regulation (EU) n. 2015/1221 (ATP 7 CLP)
Regulation (EU) n. 2016/918 (ATP 8 CLP)
Regulation (EU) n. 2016/1179 (ATP 9 CLP)
Regulation (EU) n. 2017/776 (ATP 10 CLP)
Regulation (EU) n. 2018/669 (ATP 11 CLP)
Regulation (EU) n. 2018/1480 (ATP 13 CLP)
Regulation (EU) n. 2019/521 (ATP 12 CLP)
Regulation (EU) n. 2020/217 (ATP 14 CLP)
Regulation (EU) n. 2020/1182 (ATP 15 CLP)
Regulation (EU) n. 2021/643 (ATP 16 CLP)

Regulation (EU) n. 2021/849 (ATP 17 CLP) Regulation (EU) n. 2022/692 (ATP 18 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: None.

Restrictions related to the substances contained: 30, 40, 65 (CAS 7783-20-2), 69, 75

Provisions related to directive EU 2012/18 (Seveso III):

None

Regulation (EU) No 649/2012 (PIC regulation)

No substances listed

German Water Hazard Class.

Class 1: slightly hazardous for water.

SVHC Substances:

On the basis of available data, the product does not contain any SVHC in percentage \geq 0.1%.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Code	Description
H351	Suspected of causing cancer if inhaled.

CodeHazard class and hazard categoryDescription3.6/2Carc. 2Carcinogenicity, Category 2

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

Safety data sheets of raw materials suppliers.

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no quarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BEI: Biological Exposure Index

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COV: Volatile Organic Compound CSA: Chemical Safety Assessment CSR: Chemical Safety Report

DNEL: Derived No Effect Level.

EC50: Half Maximal Effective Concentration

Date 08/09/2023 Production Name GYPSOFILLER Page n. 8 of 9

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer IATA: International Air Transport Association. IC50: half maximal inhibitory concentration

IMDG: International Maritime Code for Dangerous Goods. LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LDLo: Leathal Dose Low N.A.: Not Applicable N/A: Not Applicable

N/D: Not defined/ Not available

N.D.: Not available

NIOSH: National Institute for Occupational Safety and Health

NOAEL: No Observed Adverse Effect Level

OSHA: Occupational Safety and Health Administration.

PBT: Persistent, Bioaccumulative and Toxic

PGK: Packaging Instruction

PNEC: Predicted No Effect Concentration.

PSG: Passengers

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TLV-TWA: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

vPvB: Very Persistent, Very Bioaccumulative.

WGK: German Water Hazard Class.

Paragraphs modified from the previous revision:

- SECTION 2: Hazards identification

- SECTION 3: Composition/information on ingredients

- SECTION 8: Exposure controls/personal protection

- SECTION 9: Physical and chemical properties

SECTION 12: Ecological informationSECTION 13: Disposal considerations

- SECTION 15: Regulatory information

Date 08/09/2023 Production Name GYPSOFILLER Page n. 9 of 9